


Games, graphs, and machines



September 24, 2025

Distinguishable strings

Let L be a language.

Say that L *distinguishes* x and y if there exists a z such that exactly one of xz or yz is in L .

Distinguishable strings

Let L be a language.

Say that L *distinguishes* x and y if there exists a z such that exactly one of xz or yz is in L .

Example

Let $L = 01^*0|10^*1$.

1. Does L distinguish 0 and 1?
2. What about 01 and 10?
3. What about 010 and 101?

Indistinguishable strings

Say that $x \sim_L y$ if L cannot distinguish x and y .

Proposition: \sim_L is an equivalence relation.

How do we know $x \sim y$?

Suppose L has a DFA M .

Proposition: If x and y end at the same state in M , then $x \sim_L y$.

How do we know $x \sim y$?

Suppose L has a DFA M .

Proposition: If x and y end at the same state in M , then $x \sim_L y$.

Proposition: The number of \sim_L equivalence classes is at most the number of states of M .

Example

Let $L = \{\text{Palindromes}\}$.

Proposition: 01, 001, 0001, 00001, \dots are distinguishable.

Example

Let $L = \{\text{Palindromes}\}$.

Proposition: 01, 001, 0001, 00001, \dots are distinguishable.

Consequence: There is no DFA for L .

The Myhill-Nerode Theorem

Theorem: L is regular if and only if \sim_L has finitely many equivalence classes.